

How Texans Stop Pain with a Plant: Findings from a Survey of Medical Cannabis Users — Supplemental Tables

Diagnosed Conditions Respondents are Treating with Medical Cannabis (N=2,558) (Respondents could select more than one response)

Civilians (N=1,979)		Veterans (N=579)		Total (N=2,558)	
Anxiety	1,533 (77%)	Anxiety	454 (78%)	Anxiety	1,987 (78%)
Depression	1,198 (61%)	Depression	420 (73%)	Depression	1,618 (63%)
Back Pain	1,032 (52%)	Back Pain	383 (66%)	Back Pain	1,415 (55%)
Sleeping Disorder	893 (45%)	Sleeping Disorder	325 (56%)	Sleeping Disorder	1,218 (48%)
Migraines or Headaches	708 (36%)	Migraines or Headaches	299 (52%)	Migraines or Headaches	1,007 (39%)
Post-Traumatic Stress Disorder	506 (26%)	Post-Traumatic Stress Disorder	299 (52%)	Post-Traumatic Stress Disorder	805 (31%)
ADHD	471 (24%)	ADHD	96 (17%)	ADHD	567 (22%)
Neuropathy	356 (18%)	Neuropathy	112 (19%)	Neuropathy	468 (18%)
Restless Leg Syndrome	320 (16%)	Restless Leg Syndrome	96 (17%)	Restless Leg Syndrome	416 (16%)
Bipolar disorder	309 (16%)	Bipolar disorder	78 (13%)	Bipolar disorder	387 (15%)
Arthrosis or degenerative arthritis	225 (11%)	Arthrosis or degenerative arthritis	115 (20%)	Arthrosis or degenerative arthritis	340 (13%)
Irritable bowel syndrome	237 (12%)	Irritable bowel syndrome	89 (15%)	Irritable bowel syndrome	326 (13%)
Obsessive compulsive disorder	265 (13%)	Obsessive compulsive disorder	58 (10%)	Obsessive compulsive disorder	323 (13%)
Head or Brain Injury	133 (7%)	Head or Brain Injury	135 (23%)	Head or Brain Injury	268 (10%)
Fibromyalgia	219 (11%)	Fibromyalgia	48 (8%)	Fibromyalgia	267 (10%)
Rheumatoid arthritis	207 (10%)	Rheumatoid arthritis	56 (10%)	Rheumatoid arthritis	263 (10%)

Tinnitus	125 (6%)	Tinnitus	116 (20%)	Tinnitus	241 (9%)
Spinal cord injury (SCI)	120 (6%)	Spinal cord injury (SCI)	56 (10%)	Spinal cord injury (SCI)	176 (7%)
Allergy	133 (7%)	Allergy	40 (7%)	Allergy	173 (7%)
Asthma	145 (7%)	Asthma	26 (4%)	Asthma	171 (7%)
Inflammatory bowel disease (IBD)	125 (6%)	Inflammatory bowel disease (IBD)	14 (2%)	Inflammatory bowel disease (IBD)	139 (5%)
Gastritis or gastric ulcer	100 (5%)	Gastritis or gastric ulcer	28 (5%)	Gastritis or gastric ulcer	128 (5%)
Cancer	89 (4%)	Cancer	32 (6%)	Cancer	121 (5%)
Osteoporosis	95 (5%)	Osteoporosis	19 (3%)	Osteoporosis	114 (4%)
Crohns disease or ulcerative colitis	17 (1%)	Crohns disease or ulcerative colitis	76 (13%)	Crohns disease or ulcerative colitis	93 (4%)
Reactive arthritis	73 (4%)	Reactive arthritis	19 (3%)	Reactive arthritis	92 (4%)
Epilepsy	73 (4%)	Epilepsy	17 (3%)	Epilepsy	90 (4%)
Chronic obstructive pulmonary disease	49 (2%)	Chronic obstructive pulmonary disease	25 (4%)	Chronic obstructive pulmonary disease	74 (3%)
Neuralgia	53 (3%)	Neuralgia	20 (3%)	Neuralgia	73 (3%)
Glaucoma	46 (2%)	Glaucoma	23 (4%)	Glaucoma	69 (3%)
Psoriasis	59 (3%)	Psoriasis	10 (2%)	Psoriasis	69 (3%)
Cancer chemotherapy	43 (2%)	Cancer chemotherapy	10 (2%)	Cancer chemotherapy	53 (2%)
Multiple sclerosis	39 (2%)	Multiple sclerosis	13 (2%)	Multiple sclerosis	52 (2%)
Hashimoto's thyroiditis	43 (2%)	Hashimoto's thyroiditis	4 (1%)	Hashimoto's thyroiditis	47 (2%)
Autism	39 (2%)	Autism	6 (1%)	Autism	45 (2%)
Phantom limb pain	37 (2%)	Phantom limb pain	8 (1%)	Phantom limb pain	45 (2%)
Chronic inflammatory demyelinating polyneuropathy	32 (2%)	Chronic inflammatory demyelinating polyneuropathy	7 (1%)	Chronic inflammatory demyelinating polyneuropathy	39 (2%)
Systemic lupus erythematosus	35 (2%)	Systemic lupus erythematosus	2 (<1%)	Systemic lupus erythematosus	37 (1%)

Trigeminal neuralgia	30 (2%)	Trigeminal neuralgia	3 (1%)	Trigeminal neuralgia	33 (1%)
Lupus erythematosus	26 (1%)	Lupus erythematosus	6 (1%)	Lupus erythematosus	32 (1%)
Sjogren syndrome	26 (1%)	Sjogren syndrome	4 (1%)	Sjogren syndrome	30 (1%)
Type 1 diabetes mellitus	22 (1%)	Type 1 diabetes mellitus	7 (1%)	Type 1 diabetes mellitus	29 (1%)
Hepatitis	21 (1%)	Hepatitis	6 (1%)	Hepatitis	27 (1%)
HIV or AIDS	23 (1%)	HIV or AIDS	4 (1%)	HIV or AIDS	27 (1%)
Celiac disease	16 (1%)	Celiac disease	1 (<1%)	Celiac disease	17 (1%)
Vasculitis	15 (1%)	Vasculitis	1 (<1%)	Vasculitis	16 (1%)
Parkinsons disease	13 (1%)	Parkinson disease	2 (<1%)	Parkinson disease	15 (1%)
Graves' disease	14 (1%)	Graves' disease	0 (0%)	Graves' disease	14 (1%)
Amyotrophic lateral sclerosis	8 (<1%)	Amyotrophic lateral sclerosis	5 (1%)	Amyotrophic lateral sclerosis	13 (1%)
Guillain-Barre syndrome	10 (1%)	Guillain-Barre syndrome	0 (0%)	Guillain-Barre syndrome	10 (<1%)
Dermatomyositis	6 (<1%)	Dermatomyositis	1 (<1%)	Dermatomyositis	7 (<1%)
Pernicious anemia	5 (<1%)	Pernicious anemia	2 (<1%)	Pernicious anemia	7 (<1%)
Neurodermitis	3 (<1%)	Neurodermitis	2 (<1%)	Neurodermitis	5 (<1%)
Bechterew disease	2 (<1%)	Bechterew disease	1 (<1%)	Bechterew disease	3 (<1%)
Addison disease	2 (<1%)	Addison disease	0 (0%)	Addison disease	2 (<1%)
Myasthenia gravis	2 (<1%)	Myasthenia gravis	0 (0%)	Myasthenia gravis	2 (<1%)

Symptoms Respondents are Treating with Medical Cannabis (N=2,501)
(Respondents could select more than one response)

Civilians (N=1,934)		Veterans (N=567)		Total (N=2,501)	
Anxiety	1,577 (82%)	Anxiety	462 (81%)	Anxiety	2,039 (82%)
Chronic Pain	1,590 (82%)	Chronic pain	416 (73%)	Chronic pain	2,006 (80%)
Depression	1,240 (64%)	Depression	427 (75%)	Depression	1,667 (67%)
Sleep disorders or insomnia	1,055 (55%)	Sleep disorders or insomnia	281 (50%)	Sleep disorders or insomnia	1,336 (53%)
Irritability	825 (43%)	Irritability	338 (70%)	Irritability	1,163 (47%)
Nausea or vomiting	703 (36%)	Nausea or vomiting	115 (20%)	Nausea or vomiting	818 (33%)
Chronic inflammation	580 (30%)	Chronic inflammation	200 (35%)	Chronic inflammation	780 (31%)
Appetite or weight loss	557 (29%)	Appetite or weight loss	119 (21%)	Appetite or weight loss	676 (27%)
Inner unrest	432 (22%)	Inner unrest	209 (37%)	Inner unrest	641 (26%)
Nightmares	336 (17%)	Nightmares	213 (38%)	Nightmares	549 (22%)
Spasms	396 (20%)	Spasms	95 (17%)	Spasms	491 (20%)
Hyperactivity	245 (13%)	Hyperactivity	74 (13%)	Hyperactivity	319 (13%)
Impotence or decreased sexual drive	193 (10%)	Impotence or decreased sexual drive	106 (19%)	Impotence or decreased sexual drive	299 (12%)
General Malaise	182 (9%)	General Malaise	62 (11%)	General Malaise	244 (10%)
Diarrhea	162 (8%)	Diarrhea	52 (9%)	Diarrhea	214 (9%)
Breathing problems	127 (7%)	Breathing problems	37 (7%)	Breathing problems	164 (7%)
Spasticity	120 (6%)	Spasticity	19 (3%)	Spasticity	139 (6%)
Tremors	101 (5%)	Tremors	31 (5%)	Tremors	132 (5%)
Skin conditions	102 (5%)	Skin conditions	21 (4%)	Skin conditions	123 (5%)
Seizures	95 (5%)	Seizures	20 (4%)	Seizures	115 (5%)
Bladder problems	69 (4%)	Bladder problems	26 (5%)	Bladder problems	95 (4%)
Tics	52 (3%)	Tics	14 (2%)	Tics	66 (3%)
Pruritus or itching	48 (2%)	Pruritus or itching	17 (3%)	Pruritus or itching	65 (3%)